

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"5798698".pn.	USPAT	OR	ON	2008/05/19 10:13
L25	7	(DE-3639851-\$ WO-9321505-\$ JP-01081751-\$ JP-2002062130-\$ JP-60070331-\$ EP-358205-\$ DE-3403054-\$ JP-62004948-\$ jp-64081751-\$).did.	DERWENT	OR	ON	2008/05/19 12:05
L26	1	JP-2001114089-\$.did.	JPO	OR	ON	2008/05/19 12:14
L27	1	"6915229".pn.	USPAT	OR	ON	2008/05/19 12:25
S1	2	("3930412" "5097712").PN.	USPAT	OR	ON	2008/05/05 12:47
S2	7	(de-19722549-\$ de-10040647-\$ de-4437538-\$ de-4124192-\$).did.	EPO; DERWENT	OR	ON	2008/05/05 13:01
S3	1	1999-025551.NRAN.	DERWENT	OR	ON	2008/05/05 13:03
S4	8	(73/1.59 73/1.01 73/866.1 73/708 73/753 374/1 374/143 340/540 340/635 340/679 702/98 702/99 702/104 702/116 702/138 702/189 702/199 702/for.143 702/for.167).ccls.	FPRS	OR	ON	2008/05/06 15:12
S5	271	(73/1.59 73/1.01 73/866.1 73/708 73/753 374/1 374/143 340/540 340/635 340/679 702/98 702/99 702/104 702/116 702/138 702/189 702/199 702/for.143 702/for.167).ccls.	EPO	OR	ON	2008/05/06 15:13
S6	28	S5 and (traansmitter transmitting transmission transmittor)	EPO	OR	ON	2008/05/06 15:15

S7	1046	(73/1.59 73/1.01 73/866.1 73/708 73/753 374/1 374/143 340/540 340/635 340/679 702/98 702/99 702/104 702/116 702/138 702/189 702/199 702/for.143 702/ for.167).ccls.	JPO	OR	ON	2008/05/06 15:34
S8	116	S7 and (transmitter transmitting transmission transmittor)	JPO	OR	ON	2008/05/06 15:35
S9	15	(S5 and transmitter) not S6	EPO	OR	ON	2008/05/06 15:36
S10	2026	(73/1.59 73/1.01 73/866.1 73/708 73/753 374/1 374/143 340/540 340/635 340/679 702/98 702/99 702/104 702/116 702/138 702/189 702/199 702/for.143 702/ for.167).ccls.	US-PGPUB	OR	ON	2008/05/06 17:06
S11	1056	S10 and (transmitter transmitting transmission transmittor)	US-PGPUB	OR	ON	2008/05/06 17:06
S12	82791	S10 and (transmitter transmitting transmission transmittor)".ab", ti, "clm."	US-PGPUB	OR	ON	2008/05/06 17:07
S13	538	S10 and ((transmitter transmitting transmission transmittor).ti. (transmitter transmitting transmission transmittor). ab. (transmitter transmitting transmission transmittor).clm.)	US-PGPUB	OR	ON	2008/05/06 17:08
S14	1163	(73/1.59 73/1.01 73/866.1 73/708 73/753 374/1 374/143 340/540 340/635 340/679 702/98 702/99 702/104 702/116 702/138 702/189 702/199 702/for.143 702/ for.167).ccls.	USOCR	OR	ON	2008/05/07 10:59
S15	18	S14 and ((transmitter transmitting transmission transmittor).ti. (transmitter transmitting transmission transmittor). ab. (transmitter transmitting transmission transmittor).clm.)	USOCR	OR	ON	2008/05/07 10:59

S16	6207	(73/1.59 73/1.01 73/866.1 73/708 73/753 374/1 374/143 340/540 340/635 340/679 702/98 702/99 702/104 702/116 702/138 702/189 702/199 702/for.143 702/ for.167).ccls.	USPAT	OR	ON	2008/05/07 11:07
S17	1064	S16 and ((transmitter transmitting transmission transmittor).ti. (transmitter transmitting transmission transmittor). ab. (transmitter transmitting transmission transmittor).clm.)	USPAT	OR	ON	2008/05/07 11:08
S18	4	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) and ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))	IBM_TDB	OR	ON	2008/05/07 16:48

S19	0	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausiblity plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) and ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))	FPRS	OR	ON	2008/05/07 16:51
S20	8	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausiblity plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) and ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability	EPO	OR	ON	2008/05/07 16:52

		unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))				
S21	29	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) and ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))	JPO	OR	ON	2008/05/07 17:01
S22	66	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) and ((fuctional functionality	DERWENT	OR	ON	2008/05/07 17:07

		operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))				
S23	4910	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) and ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))	US-PGPUB	OR	ON	2008/05/07 17:21

S25	140	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausiblity plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) with ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))	US-PGPUB	OR	ON	2008/05/09 10:57
S26	12	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausiblity plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) with ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability	USOCR	OR	ON	2008/05/09 11:31

		unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))				
S27	219	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) with ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))	USPAT	OR	ON	2008/05/09 11:42
S28	3	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) ((fuctional functionality	IBM_TDB	OR	ON	2008/05/09 16:26

		operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) and (transmitter transmitting transmission transmittor) and (sensors! detectors!)				
S29	0	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) and (transmitter transmitting transmission transmittor) and (sensors! detectors!)	FPRS	OR	ON	2008/05/09 16:28

S30	60	(((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) (((functional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) and (transmitter transmitting transmission transmittor) and (sensors! detectors!)	EPO	OR	ON	2008/05/09 16:28
S31	177	(((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) (((functional functionality operable operability operableness functionalness reliable reliability reliableness	JPO	OR	ON	2008/05/09 16:42

		operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) and (transmitter transmitting transmission transmittor) and (sensors! detectors!)				
S32	542	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) ((functional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) and (transmitter transmitting transmission transmittor) and (sensors! detectors!)	DERWENT	OR	ON	2008/05/09 17:10

S33	992	(((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausiblity plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) and (transmitter transmitting transmission transmittor) and (sensors! detectors!)	USOCR	OR	ON	2008/05/09 18:59
S34	14	(((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausiblity plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness	USOCR	OR	ON	2008/05/09 18:59

		operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) with (transmitter transmitting transmission transmittor) with (sensors! detectors!)				
S35	1185	((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) ((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) same (transmitter transmitting transmission transmittor) same (sensors! detectors!)	US-PGPUB	OR	ON	2008/05/09 19:05

S36	297	(((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) (((fuctional functionality operable operability operableness functionalness reliable reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) with (transmitter transmitting transmission transmittor) with (sensors! detectors!)	US-PGPUB	OR	ON	2008/05/09 19:06
S37	480	(((invalid validity valid validness trust trusted trustworthy trustworthiness reality realness actuality actualness plausibility plausible likely likelihood likeliness plausibleness unlikely implausible untrustworthy implausibility invalidity untrustworthiness unreality unreal) near10 (measured measurement signal signaling signaled signaler signalor)) (((fuctional functionality operable operability operableness functionalness reliable	USPAT	OR	ON	2008/05/09 19:07

		reliability reliableness operational nonfunctional nonfunctionality inoperable inoperability unreliable unreliability nonoperational inoperational) near10 (sensor sensing sense sensed detector detecting detected detection detector))) with (transmitter transmitting transmission transmittor) with (sensors! detectors!)				
S38	1	"7293400".pn.	USPAT	OR	ON	2008/05/14 15:49
S39	1	"5977913".pn.	USPAT	OR	ON	2008/05/14 15:58

5/19/2008 12:54:36 PM

C:\Documents and Settings\tnoland\My Documents\EAST\workspaces\10518544.wsp